

**DIPLOMA EXAMINATION IN ENGINEERING/TECHNOLOGY/
MANAGEMENT/COMMERCIAL PRACTICE, NOVEMBER – 2022**

ENGINEERING MATHEMATICS – II

[Maximum Marks: 100]

[Time: 3 Hours]

PART-A

[Maximum Marks: 10]

I. (Answer *all* questions in one or two sentences. Each question carries 2 marks)

1. Solve for 'x' if $\begin{vmatrix} x & 12 \\ 3 & x \end{vmatrix} = 0$

2. Find the 4th term of $(x + \frac{1}{x})^{10}$

3. Evaluate $\int \tan^2 x \, dx$.

4. Evaluate $\int_0^1 \frac{1}{1+x^2} \, dx$.

5. Solve $\frac{d^2 y}{dx^2} = \sin x$. (5 x 2 = 10)

PART-B

[Maximum Marks: 30]

II. (Answer any *five* of the following questions. Each question carries 6 marks)

1. Show that the points whose position vectors are $-2\hat{a} + 3\hat{b} + 5\hat{c}$, $\hat{a} + 2\hat{b} + 3\hat{c}$, and $7\hat{a} - \hat{c}$, are collinear.

2. Find the middle terms in the expansion of $(2x + \frac{3}{x})^9$

3. Solve the following system of equations using determinants. $x + 2y - z = 3$
 $3x + y + z = 4$, $x - y + 2z = 6$

4. If $A = \begin{bmatrix} 5 & 3 \\ 2 & 2 \end{bmatrix}$, $B = \begin{bmatrix} 7 & 5 \\ 4 & 3 \end{bmatrix}$ Show that $(AB)^{-1} = B^{-1} A^{-1}$

5. Evaluate $\int_0^{\pi/2} \sin^3 x \, dx$

6. Find the area enclosed by one arch of the curve $y = \sin 3x$ and the x axis.

7. Solve

$\frac{dy}{dx} + y \cot x = \operatorname{Cosec} x$ (5 x 6 = 30)

PART-C

[Maximum Marks: 60]

(Answer **one** full question from each Unit. Each full question carries **15** marks)

UNIT - I

- III. (a) Find the projection of the line joining (1,-2,-1) to (3,1,1) on the vector $4\hat{i}-3\hat{j}+12\hat{k}$ (5)
- (b) Find the work done by the force $F=\hat{i}+2\hat{j}+\hat{k}$ acting on a particle which is displaced from the point with position vector $2\hat{i}+\hat{j}+\hat{k}$ to the point with position vector $3\hat{i}+2\hat{j}+4\hat{k}$ (5)
- (c) Find the term independent of 'x' in the expansion of $\left(x^2 - \frac{1}{x}\right)^9$ (5)

OR

- IV. (a) Find the area of a triangle whose vertices are represented by the vectors $A(\hat{i}+3\hat{j}+2\hat{k})$, $B(2\hat{i}-\hat{j}+\hat{k})$ and $C(-\hat{i}+2\hat{j}+3\hat{k})$. (5)
- (b) Find the moment about the point $\hat{i}+2\hat{j}-\hat{k}$ of a force represented by $\hat{i}+2\hat{j}+\hat{k}$ acting through the point $2\hat{i}+3\hat{j}+\hat{k}$ (5)
- (c) Expand $\left(x^3 - \frac{1}{x^2}\right)^5$ binomially. (5)

UNIT - II

- V. (a) Find A and B if $A+2B=\begin{bmatrix} 2 & 1 & 0 \\ 1 & -1 & 2 \end{bmatrix}$ $2A+3B=\begin{bmatrix} 1 & 2 & -1 \\ 2 & 0 & 1 \end{bmatrix}$ (5)
- (b) If $A=\begin{bmatrix} 1 & 0 & 0 \\ -2 & 1 & -1 \\ 3 & 0 & 1 \end{bmatrix}$ Prove that $A^3-3A^2+3A-I=0$ (5)
- (c) If $\begin{vmatrix} x & 1 & 3 \\ 4 & 1 & -1 \\ 2 & 0 & 3 \end{vmatrix} = \begin{vmatrix} 2 & -1 & 1 \\ 3 & 0 & 1 \\ -1 & 0 & 2 \end{vmatrix}$ Find 'x'. (5)

OR

- VI. (a) Find the inverse of $\begin{bmatrix} 1 & 0 & 2 \\ 2 & 1 & 0 \\ 3 & 2 & 1 \end{bmatrix}$ (5)
- (b) Find the values of x,y,z and w that satisfy the matrix relationship
- $$\begin{bmatrix} x+3 & 2y+4 \\ z+4 & 4x+5 \\ w-3 & 3w+1 \end{bmatrix} = \begin{bmatrix} 1 & -5 \\ -4 & 2x+1 \\ 2w+5 & -23 \end{bmatrix} \quad (5)$$
- (c) Show that every square matrix can be expressed as the sum of two matrices of which one is symmetric and the other is skew symmetric. (5)

UNIT- III

- VII. (a) Evaluate (i) $\int \frac{\cos x}{\sqrt{\sin x}} dx$ (3)
(ii) $\int \sec^2(7x + 2) dx$ (2)
(b) Evaluate $\int \tan^{-1} x dx$ (5)
(c) $\int_0^{\pi/2} \sin 3x \cdot \cos x dx$ (5)

OR

- VIII. (a) Evaluate $\int \frac{2+3 \sin x}{\cos^2 x} dx$ (5)
(b) Evaluate $\int \frac{\sin^{-1} 2x}{\sqrt{1-4x^2}} dx$ (5)
(c) Evaluate $\int_0^2 x^2 \log x dx$ (5)

UNIT - IV

- IX. (a) Find the area enclosed between the curve $y=x^2$ and the straight line $y=3x+4$. (5)
(b) Find the volume generated when the portion of the parabolas $y^2=4x$ between $x=0$ and $x=2$ revolves about the x-axis. (5)
(c) Solve $\frac{dy}{dx} = \frac{xy^2+x}{yx^2+y}$ (5)

OR

- X. (a) Find the volume of the ellipsoid when the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ is rotated about the x-axis. (5)
(b) Solve $(1+x^2)\frac{dy}{dx} + y = e^{\tan^{-1} x}$. (5)
(c) Find the area bounded by the curve $y=x^2+x$ and the x-axis. (5)
